


The amendments to Claims 1, 5, 6, 7, 11, 15, 16, and 21 are attached in Appendix A.

REMARKS

Entry of this preliminary amendment is respectfully requested.

Respectfully submitted,

MCDERMOTT, WILL & EMERY

 Reg. 36,139 6r
Stephen A. Becker
Registration No. 26,527

600 13th Street, N.W.
Washington, DC 20005-3096
(202) 756-8000 SAB:ykg
Date: December 6, 2001
Facsimile: (202) 756-8087

APPENDIX A

IN THE CLAIMS:

1. A document image processor comprising image inputting means preparing document images by reading a paper document, region dividing means dividing the document image into a plurality of regions, and title-region extracting means extracting title regions from the entire regions according to a region average character size equivalent to an average size of characters that is calculated per region divided by the region dividing means,

A1 wherein the title-region extracting means compares each region average character size and an extracting criteria respectively; the extracting criteria that is a total average character size multiplied by an extracting parameter; the total average character size calculated as a value equivalent to an average size of all characters included in the entire regions: and extracts as a title ~~region regions with the region average character size larger than the extracting criteria.~~

5. A document image processor according to claim 1, wherein the title-region extracting means calculates the extracting criteria on a plurality of levels by using the extracting parameters on a plurality of levels.

A2 6. A document image processor according to claim 1, wherein the title-region extracting means calculates the extracting criteria on a plurality of levels by using the extracting parameters on a plurality of levels and extracts each title region corresponding to each level attribute indicating the level of the extracting.

7. A document image processor according to claim 5 or 6, wherein the title-region extracting means determines the extracting parameters on a plurality of levels based on a ~~maximum value of the region average character size divided by the total average character size.~~

11. A document title extracting method of a document image processor comprising:

inputting and preparing document images by reading a paper document:

dividing a plurality of regions from a document image;

calculating a region average character size equivalent to the average size of characters per region; and

extracting title region from the entire regions based on the region average character size,

in which the step of calculating comprises calculating a total average character size equivalent to the average size of characters in the entire regions,

and further comprising comparing the region average character size and a extracting criteria that is a total average character size multiplied by an extracting parameter; and

in which the step of extracting title region comprises extracting as a title region regions with the region average character size larger than the extracting criteria.

15. A document title extracting method of a document image processor according to claim 11, in which the step of extracting titles comprises calculating the extracting criterions on a plurality of levels by using the extracting parameters on a plurality of levels.

16. A document title extracting method of a document image processor according to claim 11, in which the step of extracting titles comprises calculating the extracting criterions on a plurality of levels by using the extracting parameters on a plurality of levels and extracting each title region corresponding to each level attribute indicating the level of the extracting.

21. A recording medium for recording programs comprising:

dividing document images prepared by reading a paper document into a plurality of regions:

calculating per region a region average character size equivalent to an average size of characters in a region and a total average character size equivalent to an average size of characters in the entire regions:

AD
comparing each region average character size and extracting criteria that is the total average character size multiplied by the extracting parameter; and

extracting regions with the region average character size larger than the extracting criteria as a title region.